Name	:	Class:	Date:	ID: A
CSS				
True /l Indica		lse whether the sentence or statement is true or false.		
	1.	. The only draw back to working with CSS is the lack of sup	pport in older browsers.	
	2.	The main components of CSS syntax are <layer> tags</layer>	and their associated style rules.	
	3.	. The style rule expresses the style information for an eleme	ent in the HTML document.	
	4.	. The selector specifies the exact property values to be appli	ied to the element.	
	5.	. The declaration determines the element to which the rule is	s applied.	
	6.	5. The property in CSS is a quality or characteristic, such as c (;).	olor, font size, or margin, followe	ed by a semicolon
	7.	. An internal style sheet is a stand-alone document that is sh	nared by a number of Web pages	
	8.	8. Style rules contained in the <style> element only affect</td><td>the document in which they resid</td><td>de.</td></tr><tr><td></td><td>9.</td><td> After you create the external style sheet, you need to link i to affect. </td><td>it to the HTML document you wa</td><td>ant the style sheet</td></tr><tr><td></td><td>10.</td><td>CSS doesn't allow comments within the <style> element of</td><td>or in an external style sheet.</td><td></td></tr><tr><td></td><td>11.</td><td>. CSS comments begin and end with a single quote.</td><td></td><td></td></tr><tr><td></td><td>12.</td><td>The power of CSS comes from the different methods of se apply style rules in a variety of ways.</td><td>electing elements, which allow an</td><td>HTML author to</td></tr><tr><td></td><td>13.</td><td>. To make your style rules more concise, you can group type</td><td>e selectors for which the same ru</td><td>les apply.</td></tr><tr><td></td><td>14.</td><td>The following style rules set the same declaration for two <h2> elements to red.</td><td>different elements; they set the co</td><td>olor of <h1> and</td></tr><tr><td></td><td></td><td><pre>h1 {color: red ;} h2 {color: red ;}</pre></td><td></td><td></td></tr><tr><td></td><td>15.</td><td>The flag character lets you write a style rule, assign it a nat choose.</td><td>me, and then apply that name to</td><td>any elements you</td></tr><tr><td></td><td>16.</td><td>6. Cascading style sheets is a response to the need of a style the structural HTML code, to let the authors control the way</td><td></td><td></td></tr><tr><td></td><td>17.</td><td>CSS syntax works by writing style rules that select an HT for the element.</td><td>ML element and then declare sty</td><td>le characteristics</td></tr><tr><td></td><td>18.</td><td>s. In CSS, the property is the precise specification of a value,</td><td>such as blue for color or 12 pt (p</td><td>point) for font size</td></tr></tbody></table></style>		

 19.	A style rule you write is contained in a style sheet, and a style sheet is contained in a single Web page to control the styles for that page only.
 20.	You generally use the style attribute to override a style that was specified at a higher level in the document.
 21.	An external style sheet is simply a text document containing style rules.
 22.	<pre>p {color: blue;} p {font-size: 12 pt;}</pre>
	is the same as
	p {color: blue; font-size: 12 pt;}
 23.	The following rule selects elements within elements within elements only.
	ul li b {color: blue;}
 24.	You can name a class selector anything you choose.
 25.	CSS is supported in Internet Explorer 4.0.
 26.	The first set of rules is identical to the last rule:
	<pre>H1 { font-weight: bold } H2 { font-weight: bold } H3 { font-weight: bold }</pre>
	H1; H2; H3 { font-style: bold }
 27.	The following style rules are incorrect because the same declaration is repeated twice.
	<pre>h2 {color: yellow;} h3 {color: yellow;}</pre>
_	Choice e letter of the choice that best completes the statement or answers the question.
 28.	Which of the following attributes is a powerful selection technique, because it allows you to write style rules with names that are meaningful to your organization or information type?
	a. layerb. stylec. classd. font
 29.	CSS comments begins with which of the following?
	a. single quote c. /*
30.	b. double quote d. Which of the following style sheets is a stand-alone document that is shared by a number of Web pages?</th
 	a. internal c. Internal linked
	b. external d. Unlinked sheet

ID: A

Name: _____

c.

41. Which of the following attributes is used to add a style rule to a document after you create the style rule that

c. flag

d. margin

 element

d. <tag> element

a. class selector

b. <div>element

class

b. quote

contains a class selector?

Name:		
Maine.		

ID: A

 42.	8				
	div.introduction {font-si			text-indent:	28pt;}
	a. It selects a division with a class na				
	b. It selects a division with a class na				
	c. It selects a span with a class name		n.		
	d. It selects a division with a class na	amed span.			
 43.	In an declaration, the property is follow				
	a	c.	:		
	b. ,	d.	;		
 44.	Which is a tag in the following code? <style :="" <="" black="" body="" color:="" style="" type="text/css" {=""></th><th></th><th>cound: white; }</th><th></th><th></th></tr><tr><th></th><th>a. type</th><th>c.</th><th>black</th><th></th><th></th></tr><tr><th></th><th>b. color</th><th>d.</th><th>body</th><th></th><th></th></tr><tr><th>45.</th><th>What type of comments do style sheet</th><th>s use?</th><th></th><th></th><th></th></tr><tr><td></td><td>a. /** */</td><td>c.</td><td>/* */</td><td></td><td></td></tr><tr><th></th><th>b. //</th><th>d.</th><th></th><th></th><th></th></tr><tr><td> 46.</td><td>Which of the options is true about the f</td><td>ollowing rule</td><td>?</td><td></td><td></td></tr><tr><th></th><th>ul li b {color :</th><th>green;}</th><th></th><th></th><th></th></tr><tr><td></td><td>a. It selects elements within iii</td><td>> elements wi</td><td>ithin elements.</td><td></td><td></td></tr><tr><th></th><th>b. It selects elements within </th><th>elements with</th><th>thin elements.</th><th></th><th></th></tr><tr><th></th><th>c. It selects elements within </th><th>elements with</th><th>thin elements.</th><th></th><th></th></tr><tr><th></th><th>d. It selects elements within </th><th>> elements wi</th><th>thin elements.</th><th></th><th></th></tr><tr><th> 47.</th><th>Class names are preceded by a(n)</th><th>·</th><th></th><th></th><th></th></tr><tr><td></td><td>a. period</td><td>c.</td><td>colon</td><td></td><td></td></tr><tr><td></td><td>b. comma</td><td>d.</td><td>semicolon</td><td></td><td></td></tr><tr><td>48.</td><td>Which character is the flag character?</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>.special {font-size: 1</td><td></td><td>t-weight: bold;</td><td>•</td><td></td></tr><tr><td></td><td>a. {</td><td>c.</td><td>;</td><td></td><td></td></tr><tr><td></td><td>b. :</td><td>d.</td><td>•</td><td></td><td></td></tr><tr><td>49.</td><td>Which of the following contains leading</td><td>a and trailing</td><td>line breaks?</td><td></td><td></td></tr><tr><td> Τ).</td><td>a. </td><td>c.</td><td>_</td><td></td><td></td></tr><tr><td></td><td>b. <style></td><td>d.</td><td></td><td></td><td></td></tr><tr><th>~0</th><th>•</th><th>u.</th><th>\ulletu\v/</th><th></th><th></th></tr><tr><td> 50.</td><td>Who first proposed CSS?</td><td></td><td>*****</td><td></td><td></td></tr><tr><td></td><td>a. Bill Gates</td><td>c.</td><td>W3C</td><td></td><td></td></tr><tr><td></td><td>b. Tim Berners-Lee</td><td>d.</td><td>None of the above</td><td></td><td></td></tr><tr><td> 51.</td><td>In order to enjoy all of the benefits of</td><td>CSS, Netscap</td><td>pe users need to use vers</td><td>sion or above.</td><td></td></tr><tr><td></td><td>a. 4.0</td><td>c.</td><td>6.0</td><td></td><td></td></tr><tr><td></td><td>b. 5.0</td><td>d.</td><td>7.0</td><td></td><td></td></tr></tbody></table></style>				

e:		ID: A
52.	2. In order to enjoy all of the benefits of CSS, Internet Explorer users need to use version or a. 4.0 c. 6.0	above.
	b. 5.0 d. 7.0	
pletic olete d	ion e each sentence or statement.	
53.	is an easy-to-use style language that lets you use familiar desktop terminology to control the appearance of Web pages.	publishing
54.	The style rule expresses the style information for an element in the HTML document, and it is c two parts: a(n) and a declaration.	omposed of
55.	style sheet is a stand-alone document that is shared by a number pages.	mber of Web
56.	5. You can define the style for a single element by using the attributes	te.
57.	. The <style> element is always contained in the <> section of the contained in the co</td><td>he document.</td></tr><tr><td>58.</td><td>3. The flag character indicates that what follows is a class name.</td><td></td></tr><tr><td>59.</td><td colspan=3>After you create a style rule containing a class selector, you add it to the document by using the attribute.</td></tr><tr><td>60.</td><td>O. The attribute lets you select elements with greater precision than selectors.</td><td colspan=2></td></tr><tr><td>61.</td><td colspan=3><pre><div> and element in HTML are designed to be used with the</pre> <pre>selector.</pre></td></tr><tr><td>62.</td><td>2. You can use <> with the class attribute to create customized bl elements.</td><td>ock-level</td></tr><tr><td>63.</td><td colspan=3>The <> element lets you specify inline elements within a document that have their own name and style properties.</td></tr><tr><td>64.</td><td>elements reside within a line of text, like the or elements</td><td>ent.</td></tr><tr><td>65.</td><td colspan=3>are expressed separately from the structural HTML code, to let the authors control the way material displays in a browser.</td></tr><tr><td>66.</td><td>b works by writing style rules that select an HTML element and style characteristics for the element.</td><td>then declare</td></tr><tr><td>67.</td><td>7. To make style rules in a style sheet apply to multiple HTML documents, you can create a(n) style sheet.</td><td></td></tr><tr><td>68.</td><td>3. After you create an external style sheet, you need to it to the I document.</td><td>HTML</td></tr></tbody></table></style>	

Name:	

ID: A

69. The following rule specifies the style for the class named ______.

.special {font-size: 10 pt; font-weight: bold;}

- 70. You can use < _____> with a class to create customized inline elements.
- 71. The selector in the following is ______.

h3 {color: green;}

72. When linking to an external style sheet, the ______ attribute gives the Web address (URL) for your style sheet.

CSS Answer Section

TRUE/FALSE

1.	ANS:	T	REF:	404
2.	ANS:	F	REF:	406
3.	ANS:	T	REF:	407
4.	ANS:	F	REF:	407
5.	ANS:	F	REF:	407
6.	ANS:	F	REF:	407
7.	ANS:	F	REF:	407
8.	ANS:	T	REF:	412
9.	ANS:	T	REF:	412
10.	ANS:	F	REF:	415
11.	ANS:	F	REF:	415
12.	ANS:	T	REF:	418
13.	ANS:	T	REF:	418
14.	ANS:	T	REF:	418
15.	ANS:	F	REF:	419
16.	ANS:	T	REF:	404
17.	ANS:	T	REF:	407
18.	ANS:	F	REF:	407
19.	ANS:	T	REF:	407
20.	ANS:	T	REF:	410
21.	ANS:	T	REF:	412
22.	ANS:	T	REF:	419
23.	ANS:	T	REF:	419
24.	ANS:	T	REF:	420
25.	ANS:	F	REF:	404
26.	ANS:	F	REF:	418
27.	ANS:	F	REF:	418

MULTIPLE CHOICE

28. ANS: C	REF: 421
29. ANS: C	REF: 415
30. ANS: B	REF: 407
31. ANS: B	REF: 406

32.	ANS:	В	REF: 412
33.	ANS:	В	REF: 407
34.	ANS:	C	REF: 407
35.	ANS:	A	REF: 409
36.	ANS:	D	REF: 412
37.	ANS:	A	REF: 418
38.	ANS:	C	REF: 418
39.	ANS:	В	REF: 418
40.	ANS:	D	REF: 419
41.	ANS:	A	REF: 420
42.	ANS:	A	REF: 422
43.	ANS:	C	REF: 407
44.	ANS:	D	REF: 409
45.	ANS:	C	REF: 415
46.	ANS:	В	REF: 419
47.	ANS:	A	REF: 420
48.	ANS:	D	REF: 420
49.	ANS:	D	REF: 422
50.	ANS:	В	REF: 404
51.	ANS:	C	REF: 404
52.	ANS:	В	REF: 404

COMPLETION

53. ANS:

CSS

Cascading Style Sheets

REF: 404

54. ANS: selector

REF: 407

55. ANS: external

REF: 407

56. ANS: style

REF: 410

57. ANS: head

REF: 412

58. ANS: period

REF: 420

59. ANS: class

REF: 420

60. ANS: class

REF: 420

61. ANS: CSS class

REF: 422

62. ANS: div

REF: 422

63. ANS: span

REF: 422

64. ANS: Inline

REF: 422

65. ANS: Cascading style sheets

REF: 404

66. ANS: CSS syntax

REF: 407

67. ANS: external

REF: 412

68. ANS: link

REF: 412

69. ANS: special

REF: 420

70. ANS: span

REF: 422

71. ANS: h3

REF: 407

72. ANS: href

REF: 414

CSS [Answer Strip]

<u>B</u> 32.

__D__ 36.